

KEYLESS360

THE PERFECT RETROFIT LOCK

✓ SIMPLE ✓ SUSTAINABLE ✓ SECURE

SIMPLY PERFECT. PERFECTLY SIMPLE.

Sleek and modern alphanumeric combination locks for shared or assigned use in any wet or dry environment. With a standard vertical 3-hole routing, the Keyless360 is the Perfect Retrofit Lock.

With no batteries to change, no plastic parts and no wires, our locks are maintenance-free resulting in zero operating expenses and two LEED V4 credits.

Standard, premium and custom finishes as well as ADA versions all backed by personal service and the best 5-year comprehensive warranty.



OUR CLIENTS



amazon

BOEING

Capital One



Coca-Cola



EQUINOX

facebook

Fitness First



Google

HYATT



LIFETIME
FITNESS



Mercedes-Benz



PEPSICO



REBEL



VISA

KEYLESS360

ARCHITECTURAL SPECIFICATIONS



PART NUMBER:
KEYLESS360-SN
KEYLESS360-SN-ADA

STANDARD FINISH:
Satin Nickel

FINISHING PROCESS:
Electroplating



PART NUMBER:
KEYLESS360-MB
KEYLESS360-MB-ADA

PREMIUM FINISH:
Matte Black/Munsell N2

FINISHING PROCESS:
Electrodeposition coating



PART NUMBER:
KEYLESS360-MW
KEYLESS360-MW-ADA

PREMIUM FINISH:
Matte White/Munsell N9

FINISHING PROCESS:
Epoxy painting


10% color discrepancy, and custom pricing options apply.

- 2-digit alphanumeric combination
- Compatible with wood, glass, plastic, phenolic & metal locker doors
- One Master Key has 3 functions: bypasses the code, resets the lock, and retrieves the code - all conveniently from the front
- Lock features reprogrammable-cylinder: When Master Key is lost or stolen, new Master Key is issued. Simply insert new Master Key and cylinder is reprogrammed - patented solution
- Anti-pick and tamper resistant
- Self-correcting, Breakaway Knob protects against forced entry - patented solution
- IP69K - Complete dust and water resistance


- Strong 100% metal for long-term and heavy-use - no plastic components.
- Large, clear combination digits, double the size of any competitors (5mm tall), that don't fade
- Sufficient digit and dial spacing that prevents accidental lockouts
- Strongest latch (bolt) in the industry and cannot be forced unlocked
- Dead bolt or spring bolt latch type (standard offset: 31mm - addtl available)
- Simple 2 screw installation
- Surface mounted
- Accommodates doors 1-21mm thickness

- Easily retrofits from most locks on most locker doors. "The Ultimate Retrofit Lock"
- Ergonomic non-slip grip
- One step twist-&-pull operation
- Knob rotates 90 degrees (from 12 o'clock to 3 o'clock) on left and right hand locks
- Latch is simply interchangeable to left or right
- Clear locked and unlocked status indicator is visible from a distance
- When disinfecting, mist with liquid that is at least 70% alcohol solution in order to maintain product integrity
- Immediate live response during business hours
- no run around. (sos@keyless.co or 972.331.2770)


TOP VIEW 1-6MM DOOR THICKNESS




TOP VIEW 6-21MM DOOR THICKNESS



FRONT VIEW



DOOR ROUTING




2010 & 2012 ADA STANDARDS FOR ACCESSIBLE DESIGN REQUIREMENTS



- 5% of lockers and their operable parts, the locks, must meet ADA specifications.
- Locks shall be operable with one hand.
- Shall not require tight grasping, pinching, or twisting of the wrist to operate.
- Shall have a force required to activate of 5lbs (22.2N) maximum.
- Locks shall be installed maximum 48.00"/1220mm from the floor surface.

ADA MODEL WITH INTEGRATED LEVER SERVING AS A PULL

Meets the 2010 and 2012 Standards for Accessible Design



- 1 Highest touch point
- 2 Front Edge of block
- 3 Top of finished floor

Manufactured By:

KEYLESS.CO

1825 W. Walnut Hill Ln., Suite 102, Irving, TX 75038, USA | +1 972-331-2770 | info@keyless.co | www.keyless.co | V: 3/18/21

KEYLESS360

INSTRUCTIONS

USER INSTRUCTIONS

TO LOCK

1. Close the door.
2. Make sure knob is pointing up to , then set any 2-digit code.
3. Turn knob to .
4. Scramble the dials.

CLICK LINK:

<https://www.keyless.co/keyless360/instructions/user/>

TO UNLOCK

1. Re-enter your code.
2. Turn the knob up to .
3. Open the door.
4. Keeping the knob facing , scramble the dials for the next user.

**SCAN QR CODE
TO VIEW USER
INSTRUCTION VIDEO:**



MANAGER INSTRUCTIONS

MASTER KEY CODE BYPASS

(immediate manager access without code obstruction)

1. Insert the Master Key pointing towards the .
2. Turn the knob to  and access the locker, then close the door while keeping the knob facing .
3. Return the knob to the  position, and remove the key.

**Locker will remain locked and code will remain the same.*

USER CODE RETRIEVAL & RESET

(retrieve forgotten user code and reset code for new user)

1. Insert the Master Key pointing towards the  and turn the knob to .
2. With each dial: spin until it stops.
 - After setting each dial, the last used code will display.
3. Turn the knob back to  and remove the key.
 - Then, return the knob to  and scramble the dials for the next user.

CLICK LINK:

<https://www.keyless.co/keyless360/instructions/reset/>

**SCAN QR CODE TO VIEW
CODE RETRIEVAL & RESET
INSTRUCTION VIDEO:**

